

# FERTIGARZNEIMITTEL

| Product  | Packaging                                 | Dosage   | Documentation                                  |
|--|---|--|--|
| Aceclofenac  | Tablet                                    | 100 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Aceclofenac CR   | Tablet                                    | 200 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Acetylsalicylic Acid + Ascorbic Acid + Caffeine                          | Powder for oral solution (Lemon flavour)  | 500 mg + 300 mg + 50 mg                                      | MPI GMP (Poland)                               |
| Acetylsalicylic Acid + Phenylephrine Bitartrate                          | Powder for oral solution (Cola flavour)   | 500 mg + 15.58 mg  | MPI GMP (Poland)                               |
| Acetylsalicylic Acid + Phenylephrine Bitartrate + Chlorphenamine Maleate | Powder for oral solution (Orange flavour) | 500 mg + 15.58 mg + 2 mg                                     | MPI GMP (Poland)                               |
| Aciclovir  | Tablet                                    | 200 mg, 400 mg, 800 mg                                       | MPI GMP (Poland)                               |
| Albendazole  | Chewable tablet                           | 400 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Albendazole  | Tablet                                    | 200 mg, 400 mg   | PIC/S member GMP                               |
| Alendronic Acid (Sodium)   | Tablet                                    | 70 mg  | MPI GMP (Poland)                               |
| Alfuzosin Hydrochloride SR   | Tablet                                    | 10 mg  | EOF GMP (Greece)                               |
| Aminophylline  | Tablet                                    | 0.1 g  | MHRA GMP (United Kingdom)                      |
| Amitriptyline  | Tablet                                    | 25 mg, 50 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Amlodipine   | Tablet                                    | 2.5 mg, 5 mg, 10 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Amlodipine 5 mg + Losartan Potassium 50 mg                               | Tablet                                    | 5/50 mg, 10/100 mg   | EOF GMP (Greece)                               |
| Amlodipine Besilate + Atorvastatin Calcium                               | Film-coated tablet                        | 5 mg + 10 mg<br>10 mg + 10 mg                                | MPI GMP (Poland)                               |
| Amlodipine Besilate + Ramipril   | Capsule                                   | 5 mg + 5 mg<br>5 mg + 10 mg<br>10 mg + 5 mg<br>10 mg + 10 mg | MPI GMP (Poland)                               |
| Amlodipine Besilate + Valsartan  | Film-coated tablet                        | 5 mg + 80 mg<br>5 mg + 160 mg<br>10 mg + 160 mg              | MPI GMP (Poland)                               |
| Amlodipine Besylate  | Tablet                                    | 2.5 mg, 5 mg, 10 mg  | PIC/S member GMP                               |
| Amoxicillin  | Capsule                                   | 250, 500 mg  | PIC/S member GMP                               |
| Amoxicillin  | Oral suspension                           | 125 mg / 5 ml  | PIC/S member GMP                               |
| Amoxicillin  | Oral suspension                           | 250 mg / 5 ml  | PIC/S member GMP                               |
| Amoxicillin + Clavulanic Acid  | Tablet                                    | 375 mg, 625 mg, 1 g  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Ampicillin   | Capsule                                   | 250 mg, 500 mg   | PIC/S member GMP                               |
| Ampicillin   | Oral suspension                           | 125 mg / 5 ml  | PIC/S member GMP                               |
| Ampicillin   | Oral suspension                           | 250 mg / 5 ml  | PIC/S member GMP                               |
| Ampicillin + Cloxacillin   | Capsule                                   | 250 mg + 250 mg  | PIC/S member GMP                               |
| Analgin  | Tablet                                    | 500 mg / 250mg   | MHRA GMP (United Kingdom)                      |
| Aprepitant IR  | Capsule                                   | 40 mg, 80 mg, 125 mg   | EOF GMP (Greece)                               |
| Aripiprazole   | ODT                                       | 5 mg   | BMG GMP (Germany)                              |
| Aripiprazole   | Tablet                                    | 5 mg, 10 mg, 15 mg, 30 mg                                    | MPI GMP (Poland)                               |
| Armodafinil  | Film-coated tablet                        | 50 mg, 100 mg, 150 mg  | EOF GMP (Greece)                               |
| Artemether + Lumefantrine  | Tablet                                    | 20 mg + 120 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |

# FERTIGARZNEIMITTEL

| Product                                   | Packaging                  | Dosage  | Documentation                                  |
|---|----------------------------|---|--|
| Artesunate (Sterile)                      | Injection                  | 60 mg/ml  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Artesunate + Amodiaquine                  | Tablet (co-packed)         | 50 mg + 135.1 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Artesunate + Amodiaquine FD               | Tablet                     | 25 mg + 67.5 mg, 50 mg + 135 mg, 100 mg + 270 mg          | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Aspirin + Dipyridamole SR                 | Capsule                    | 25 mg + 200 mg  | EOF GMP (Greece)                               |
| Aspirin Enteric-coated Sustained Release  | Tablet                     | 50 mg   | MHRA GMP (United Kingdom)                      |
| Atenolol                                  | Tablet                     | 25 mg, 50 mg, 100 mg                                      | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Atenolol + Chlorthalidone                 | Tablet                     | 50 mg + 12.5 mg<br>100 mg + 25 mg                         | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Atomoxetine                               | Capsule                    | 5 mg, 10 mg, 18 mg, 25 mg,<br>40 mg, 60 mg, 80 mg, 100 mg | MPI GMP (Poland)                               |
| Atorvastatin                              | Tablet                     | 10 mg, 20 mg, 40 mg                                       | PIC/S member GMP                               |
| Atorvastatin Calcium                      | Tablet                     | 10 mg, 20 mg, 40 mg, 80 mg                                | EOF GMP (Greece)                               |
| Azilsartan Medoxomil + Chlorthalidone     | Tablet                     | 40 mg + 12.5 mg, 25 mg                                    | EOF GMP (Greece)                               |
| Azilsartan Medoxomil DC                   | Tablet                     | 40 mg, 80 mg  | EOF GMP (Greece)                               |
| Azithromycin                              | Capsule / Tablet           | 250 mg / 250 mg, 500 mg                                   | PIC/S member GMP                               |
| Azithromycin                              | Film-coated tablet         | 250 mg, 500 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Azithromycin                              | Tablet                     | 0.25 g  | BMG GMP (Germany)                              |
| Azithromycin                              | Tablet                     | 250 mg, 500 mg  | EOF GMP (Greece)                               |
| Azithromycin Dihydrate USP                | Glass bottle 15 ml / 30 ml | 100 mg  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Azithromycin Dihydrate USP                | Glass bottle 15 ml / 30 ml | 200 mg  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Beclomethasone                            | Inhaler                    | 100 mcg   | PIC/S member GMP                               |
| Bendroflumethiazide                       | Tablet                     | 2.5 mg, 5 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Beta-Arteether                            | Injection                  | 150 mg / 2 ml   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Betahistine                               | Tablet                     | 8 mg, 16 mg, 24 mg  | PIC/S member GMP                               |
| Betaxolol Hydrochloride                   | Eye drops solution         | 5 mg/ml (0,5%)  | MPI GMP (Poland)                               |
| Bicalutamide                              | Film-coated tablet         | 50 mg - 150 mg  | MPI GMP (Poland)                               |
| Bimatoprost                               | Eye drops solution         | 0,3 mg/ml (0,03%)   | MPI GMP (Poland)                               |
| Bisacodyl                                 | Tablet                     | 5 mg  | PIC/S member GMP                               |
| Bisoprolol Fumarate                       | Tablet                     | 5 mg, 10 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Bosentan                                  | Film-coated tablet         | 62.5 mg - 125 mg  | MPI GMP (Poland)                               |
| Budesonide DR                             | Capsule                    | 3 mg  | EOF GMP (Greece)                               |
| Bupivacaine Hydrochloride                 | Solution for injection     | 5 mg/ml   | MPI GMP (Poland)                               |
| Bupropion Hydrochloride Sustained Release | Tablet                     | 0,15 g  | BMG GMP (Germany)                              |
| Candesartan Cilexetil                     | Tablet                     | 4 mg, 8 mg, 16 mg, 32 mg                                  | MPI GMP (Poland)                               |
| Captopril                                 | Tablet                     | 25 mg   | MHRA GMP (United Kingdom)                      |

# FERTIGARZNEIMITTEL

| Product                         | Packaging             | Dosage                            | Documentation                                  |
|---------------------------------|-----------------------|-----------------------------------|--|
| Carvedilol                      | Tablet                | 3.125 mg, 6.25 mg, 12.5 mg, 25 mg | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Carvedilol Dispersable          | Tablet                | 6.25 mg, 5 mg                     | BMG GMP (Germany)                              |
| Carvedilol Phosphate SR         | Capsule               | 10 mg, 20 mg, 40 mg, 80 mg        | EOF GMP (Greece)                               |
| Cefaclor                        | Capsule               | 250 mg                            | PIC/S member GMP                               |
| Cefaclor                        | Capsule               | 250 mg, 500 mg                    | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefaclor                        | Powder for suspension | 125 mg, 187 mg, 250 mg            | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefaclor                        | Suspension            | 0.125 g                           | PIC/S member GMP                               |
| Cefaclor                        | Tablet                | 250 mg, 375 mg, 500 mg            | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefadroxil                      | Capsule               | 0.25 g                            | BMG GMP (Germany)                              |
| Cefadroxil                      | Capsule               | 250 mg, 500 mg                    | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefadroxil                      | Capsule               | 250 mg, 500 m                     | PIC/S member GMP                               |
| Cefadroxil                      | Oral suspension       | 125 mg / 5 ml                     | PIC/S member GMP                               |
| Cefadroxil                      | Tablet                | 125 mg, 250 mg, 500 mg            | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefalexin                       | Capsule               | 0.125 g<br>0.25 g                 | BMG GMP (Germany)                              |
| Cefalexin                       | Capsule               | 250 mg, 500 mg                    | PIC/S member GMP                               |
| Cefalexin                       | Oral suspension       | 125 mg / 5 ml                     | PIC/S member GMP                               |
| Cefamandole Nafate              | Injection             | 0.5 g, 1.0 g, 2.0 g               | PIC/S member GMP                               |
| Cefathiamidine                  | Injection             | 0.5 g, 1.0 g, 2.0 g               | PIC/S member GMP                               |
| Cefazolin Sodium                | Injection             | 0.5 g, 1.0 g                      | PIC/S member GMP                               |
| Cefbuperazone                   | Injection             | 1.0 g                             | PIC/S member GMP                               |
| Cefcapene Pivoxol Hydrochloride | Tablet                | 0.1 g                             | PIC/S member GMP                               |
| Cefdinir                        | Capsule               | 300 mg                            | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefdinir                        | Powder for Suspension | 125 mg / 5 ml                     | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefdinir                        | Suspension            | 100 mg                            | PIC/S member GMP                               |
| Cefdinir Dispersible            | Tablet                | 0.1 g                             | PIC/S member GMP                               |
| Cefepime                        | Injection             | 1 gm / 500 mg / 250 mg            | PIC/S member GMP                               |
| Cefepime                        | Injection             | 1 g, 2 g                          | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefepime Hydrochloride          | Injection             | 0.5 g / 1.0 g / 2.0 g             | PIC/S member GMP                               |
| Cefixime                        | Capsule               | 50 mg / 0.1 g / 0.2 g             | PIC/S member GMP                               |
| Cefixime                        | Granules              | 50 mg / 0,1 g                     | PIC/S member GMP                               |
| Cefixime                        | Oral suspension       | 50 mg                             | PIC/S member GMP                               |
| Cefixime                        | Powder for suspension | 50 mg / 5ml, 100 mg / 5 ml        | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefixime                        | Suspension            | 100 mg / 5 ml                     | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefixime                        | Tablet                | 100 mg, 200 mg, 400 mg            | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefixime Dispersible            | Tablet                | 50 mg / 100 mg                    | PIC/S member GMP                               |

# FERTIGARZNEIMITTEL

| Product   | Packaging             | Dosage                                 | Documentation                                  |
|---|-----------------------|--|--|
| Cefmetazole Acid (with Arginine)                    | Injection             | 0.5 g / 1.0 g / 2.0 g                  | PIC/S member GMP                               |
| Cefmetazole Sodium                                  | Injection             | 0.25 g / 0.5 g / 1.0 g / 2.0 g         | PIC/S member GMP                               |
| Cefminox Sodium                                     | Injection             | 0.5 g / 1.0 g                          | PIC/S member GMP                               |
| Cefodizime Sodium                                   | Injection             | 0.25 g / 0.5 g / 1.0 g / 2.0 g         | PIC/S member GMP                               |
| Cefonicid Sodium                                    | Injection             | 0.5 g / 1.0 g                          | PIC/S member GMP                               |
| Cefoperazone Sodium                                 | Injection             | 1.0 g / 2.0 g                          | PIC/S member GMP                               |
| Cefoperazone Sodium + Sulbactam Sodium (2:1)        | Injection             | 0.75 g / 1.5 g / 2.25 g                | PIC/S member GMP                               |
| Cefotaxime  | Injection             | 1,000 mg                               | PIC/S member GMP                               |
| Cefotaxime  | Injection             | 250 mg, 500 mg, 1 g                    | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Cefotaxime + Sulbactam                              | Injection             | 500 mg + 250 mg<br>1 g + 500 mg        | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Cefotaxime Sodium                                   | Injection             | 0.5 g / 1.0 g / 2.0 g / 3.0 g          | MHLW GMP (Japan)                               |
| Cefotetan Disodium                                  | Injection             | 1.0 g                                  | PIC/S member GMP                               |
| Cefotetan Sodium                                    | Injection             | 1.0 g                                  | PIC/S member GMP                               |
| Cefoxitin Sodium                                    | Injection             | 0.5 g / 1.0 g / 2.0 g                  | PIC/S member GMP                               |
| Cefpirome Sulphate                                  | Injection             | 0.25 g / 0.5 g / 1.0 g / 2.0 g         | PIC/S member GMP                               |
| Cefpodoxime Proxetil                                | Powder for Suspension | 50 mg / 5 ml, 100 mg / 5 ml            | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefpodoxime Proxetil                                | Tablet                | 0.1 g                                  | BMG GMP (Germany)                              |
| Cefpodoxime Proxetil                                | Tablet                | 50 mg, 100 mg, 200 mg                  | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefprozil   | Capsule               | 0.25 g                                 | PIC/S member GMP                               |
| Cefprozil   | Granules              | 0.125 g                                | PIC/S member GMP                               |
| Cefprozil   | Tablet                | 250 mg                                 | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefradine   | Capsule               | 250 mg                                 | INFARMED GMP (Portugal), Stability Zone IVb    |
| Cefradine   | Injection             | 0.5 g / 1.0 g / 2.0 g                  | PIC/S member GMP                               |
| Cefradine   | Capsule               | 0.25 g                                 | BMG GMP (Germany)                              |
| Ceftaroline Fosamil                                 | Injection             | 400 mg / 100 mg                        | PIC/S member GMP                               |
| Ceftazidime   | Injection             | 1 g                                    | INFARMED GMP (Portugal), Stability Zone IVb    |
| Ceftazidime   | Injection             | 250 mg, 500 mg, 1,000 mg               | PIC/S member GMP                               |
| Ceftazidime (with Arginine)                         | Injection             | 0.5 g / 1.0 g / 1.5 g                  | PIC/S member GMP                               |
| Ceftazidime (with Na <sub>2</sub> CO <sub>3</sub> ) | Injection             |  | PIC/S member GMP                               |
| Cefteram Pivoxil                                    | Capsule               | 0.1 g                                  | PIC/S member GMP                               |
| Cefteram Pivoxil                                    | Suspension            | 50 mg                                  | PIC/S member GMP                               |
| Ceftezole Sodium                                    | Injection             | 1.0 g                                  | PIC/S member GMP                               |
| Ceftibuten  | Capsule               | 200 mg                                 | PIC/S member GMP                               |
| Ceftibuten  | Suspension            | 50 mg / 100 mg                         | PIC/S member GMP                               |
| Ceftizoxime Sodium                                  | Injection             | 0.5 g / 0.75 g / 1.0 g / 1.5 g / 2.0 g | PIC/S member GMP                               |
| Ceftriaxone   | Injection             | 250 mg, 500 mg, 1 g                    | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Ceftriaxone   | Injection             | 250 mg, 500 mg, 1,000 mg               | PIC/S member GMP                               |
| Ceftriaxone   | Injection             | 500 mg, 1 g                            | INFARMED GMP (Portugal), Stability Zone IVb    |

# FERTIGARZNEIMITTEL

| Product                     | Packaging   | Dosage                            | Documentation                                     |
|-----------------------------|---|-----------------------------------|---|
| Ceftriaxone + Sulbactam     | Injection   | 500 mg + 250 mg<br>1 g + 500 mg   | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Cefuroxime                  | Tablet  | 250 mg, 500 mg                    | INFARMED GMP (Portugal),<br>Stability Zone IVb    |
| Cefuroxime Axetil           | Capsule   | 0,125 g                           | PIC/S member GMP                                  |
| Cefuroxime Axetil           | Granules  | 0.125 g / 0.25 g                  | PIC/S member GMP                                  |
| Cefuroxime Axetil           | Powder for suspension   | 125 mg / 5 ml                     | INFARMED GMP (Portugal),<br>Stability Zone IVb    |
| Cefuroxime Axetil           | Tablet  | 0.125 g / 0.25 g / 0.5 g          | PIC/S member GMP                                  |
| Cefuroxime Axetil           | Tablet  | 125 mg, 250 mg, 500 mg            | INFARMED GMP (Portugal),<br>Stability Zone IVb    |
| Cefuroxime Sodium           | Injection   |                                   | PIC/S member GMP                                  |
| Celecoxib                   | Capsule   | 100 mg, 200 mg                    | PIC/S member GMP                                  |
| Celecoxib IR                | Capsule   | 50 mg, 100 mg, 200 mg,<br>400 mg  | EOF GMP (Greece)                                  |
| Cephalexin                  | Capsule   | 100 mg, 250 mg, 500 mg            | INFARMED GMP (Portugal),<br>Stability Zone IVb    |
| Cephalexin                  | Powder for suspension   | 125 mg / 5 ml                     | INFARMED GMP (Portugal),<br>Stability Zone IVb    |
| Cephalexin                  | Tablet  | 100 mg, 250 mg, 500 mg,<br>750 mg | INFARMED GMP (Portugal),<br>Stability Zone IVb    |
| Cephradine Dihydrate        | Injection   | 0.5 g / 1.0 g / 2.0 g             | PIC/S member GMP                                  |
| Ceterizine Hydrochloride    | Tablet  | 10 mg                             | PIC/S member GMP                                  |
| Ceftriaxone Sodium          | Injection   | 1.0 g / 2.0 g                     | PIC/S member GMP                                  |
| Ceterizine Hydrochloride    | Tablet  | 5 mg, 10 mg                       | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Chloroquine Phosphate       | Injection   | 40 mg base/ml, 50 mg/ml           | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Cholecalciferol (Vit. D)    | Twist-off capsule (Dietary food for special medical purposes) | 400 UI                            | MPI GMP (Poland)                                  |
| Cilnidipine                 | Capsule   | 5 mg<br>10 mg                     | BMG GMP (Germany)                                 |
| Cilostazol SR               | Capsule   | 100 mg, 200 mg                    | EOF GMP (Greece)                                  |
| Cinitapride SR              | Capsule   | 1 mg, 5 mg                        | EOF GMP (Greece)                                  |
| Cinnarizine BP              | Blister 25 x 10   | 25 mg                             | MFDS GMP (Korea), WHO<br>GMP, Ivory Coast MoH     |
| Cinnarizine BP              | Blister 25 x 10   | 75 mg                             | MFDS GMP (Korea), WHO<br>GMP, Ivory Coast MoH     |
| Ciprofloxacin               | Tablet  | 250 mg, 500 mg, 750 mg            | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Ciprofloxacin Hydrochloride | Capsule   | 0.25 mg                           | BMG GMP (Germany)                                 |
| Ciprofloxacin Hydrochloride | Capsule   | 0.5 g                             | BMG GMP (Germany)                                 |
| Ciprofloxacin Hydrochloride | Film-coated tablet  | 250 mg - 500 mg                   | MPI GMP (Poland)                                  |
| Ciprofloxacin Hydrochloride | Tablet  | 0.25 g                            | BMG GMP (Germany)                                 |
| Ciprofloxacin Hydrochloride | Tablet  | 500 mg                            | BMG GMP (Germany)                                 |
| Cisapride                   | Tablet  | 5 mg, 10 mg                       | BMG GMP (Germany)                                 |
| Citalopram                  | Tablet  | 10 mg, 20 mg, 40 mg               | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Citalopram Hydrobromide     | Film-coated tablet  | 10 mg, 20 mg, 30 mg, 40 mg        | MPI GMP (Poland)                                  |

# FERTIGARZNEIMITTEL

| Product                                    | Packaging                        | Dosage                                 | Documentation                                  |
|--|----------------------------------|--|--|
| Citalopram Hydrochloride                   | Oral solution                    | 40 mg/ml                               | MPI GMP (Poland)                               |
| Clarithromycin                             | Oral suspension                  | 125 mg / 5 ml / 250 mg / 5 ml          | PIC/S member GMP                               |
| Clarithromycin                             | Powder for solution for infusion | 500 mg                                 | MPI GMP (Poland)                               |
| Clarithromycin                             | Tablet                           | 250 mg, 500 mg                         | PIC/S member GMP                               |
| Clopidogrel Bisulphate                     | Tablet                           | 75 mg                                  | PIC/S member GMP                               |
| Clopidogrel IR                             | Tablet                           | 75 mg                                  | EOF GMP (Greece)                               |
| Cloxacillin                                | Capsule                          | 250 mg, 500 mg                         | PIC/S member GMP                               |
| Cloxacillin                                | Oral solution                    | 125 mg / 5 ml                          | PIC/S member GMP                               |
| Co-amoxiclav                               | Oral suspension                  | 156.25 mg / 5ml / 312.5 mg / 5 ml      | PIC/S member GMP                               |
| Co-amoxiclav                               | Tablet BP                        | 375 mg, 625 mg                         | PIC/S member GMP                               |
| Compound Sulfamethoxazole                  | Tablet                           | SMZ: 0.4 g, TMP 80 mg                  | MHRA GMP (United Kingdom)                      |
| Cyclobenzaprine SR                         | Capsule                          | 15 mg, 30 mg                           | EOF GMP (Greece)                               |
| Dabigatran Etxilate Mesylate IR            | Capsule                          | 75 mg, 150 mg                          | EOF GMP (Greece)                               |
| Deflazacort                                | Strip 10 x 6                     | 1 mg                                   | WHO GMP, Planning for TFDA inspection          |
| Desloratadine                              | Film-coated tablet               | 5 mg                                   | MPI GMP (Poland)                               |
| Desloratadine                              | Oral solution                    | 0,5 mg/ml                              | MPI GMP (Poland)                               |
| Desloratadine                              | Tablet (normal/ODT)              | 5 mg, 10 mg                            | EOF GMP (Greece)                               |
| Dexlansoprazole DR                         | Capsule                          | 30 mg, 60 mg                           | EOF GMP (Greece)                               |
| Diclofenac                                 | Injection                        | 100 mg                                 | PIC/S member GMP                               |
| Diclofenac Sodium                          | Tablet                           | 50 mg                                  | PIC/S member GMP                               |
| Diclofenac Sodium EC & SR                  | Capsule                          | 50 mg, 75 mg                           | EOF GMP (Greece)                               |
| Diclofenac Sodium SR                       | Tablet                           | 100 mg                                 | PIC/S member GMP                               |
| Dicyclomine Hydrochloride BP + Simethicone | Bottle 10 ml                     | 10 mg + 40 mg                          | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Didanosine EC                              | Capsule                          | 125 mg, 200 mg, 250 mg, 400 mg         | EOF GMP (Greece)                               |
| Dihydroartemisinin + Piperaquine           | Tablet                           | 40 mg + 320 mg                         | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Diltiazem SR                               | Capsule                          | 120 mg, 180 mg, 240 mg, 300 mg, 360 mg | EOF GMP (Greece)                               |
| Dimenhydrinate BP                          | Strip 10                         | 50 mg                                  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Dimetindene                                | Gel (Medicinal drug.OTC)         | 1 mg/ml                                | MPI GMP (Poland)                               |
| Diphenhydramine                            | Tablet (normal/ODT)              | 25 mg                                  | EOF GMP (Greece)                               |
| Domperidone BP                             | 10 ml, 15 ml                     | 10 mg                                  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Domperidone BP                             | Strip 10 x 10                    | 10 mg                                  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Donepezil Hydrochloride                    | Film-coated tablet               | 5 mg, 10 mg                            | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Donolamide Hydrochloride                   | Eye drops solution               | 20 mg/ml (2%)                          | MPI GMP (Poland)                               |
| Doxycycline                                | Capsule                          | 100 mg                                 | PIC/S member GMP                               |
| Duloxetine                                 | Capsule                          | 20 mg, 40 mg                           | BMG GMP (Germany)                              |
| Duloxetine Hydrochloride                   | Capsule                          | 30 mg, 60 mg                           | EOF GMP (Greece)                               |
| Dutasteride IR                             | Capsule                          | 0,5 mg                                 | EOF GMP (Greece)                               |



# FERTIGARZNEIMITTEL

| Product                                      | Packaging                                       | Dosage   | Documentation                                     |
|--|---|--|---|
| Emezol                                       | Capsule   | Esomeprazole Strontium<br>20 mg, 40 mg                           | USFDA GMP   |
| Enalapril Maleate                            | Tablet  | 5 mg, 10 mg, 20 mg   | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Enalapril Maleate                            | Tablet (with & without<br>breakline)            | 5 mg (only with breakline)<br>10 mg - 20 mg                      | MPI GMP (Poland)                                  |
| Enalapril Maleate +<br>Hydrochlorothiazide   | Tablet  | 20 mg + 12.5 mg  | MPI GMP (Poland)                                  |
| Eplerenone                                   | Film-coated tablet                              | 25 mg + 50 mg  | MPI GMP (Poland)                                  |
| Eprosartan Mesylate +<br>Hydrochlorothiazide | Tablet  | 600 mg + 12.5 mg<br>600 mg + 25 mg                               | EOF GMP (Greece)                                  |
| Erlotinib                                    | Tablet  | 100 mg, 150 mg   | PIC/S member GMP                                  |
| Erythromycin Estolate                        | Oral suspension                                 | 125 mg / 5 ml  | PIC/S member GMP                                  |
| Erythromycin Ethylsuccinate                  | Oral suspension                                 | 126 mg / 5 ml  | PIC/S member GMP                                  |
| Erythromycin Ethylsuccinate                  | Tablet  | 0.125 g  | BMG GMP (Germany)                                 |
| Erythromycin Ethylsuccinate                  | Tablet  | 500 mg   | PIC/S member GMP                                  |
| Erythromycin Stearate                        | Tablet  | 250 mg, 500 mg   | PIC/S member GMP                                  |
| Escitalopram                                 | Tablet  | 5 mg, 10 mg, 20 mg   | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Escitalopram Oxalate                         | Film-coated tablet                              | 10 mg, 20 mg   | BMG GMP (Germany)                                 |
| Escitalopram Oxalate                         | Film-coated tablet                              | 5 mg, 10 mg, 15 mg, 20 mg  | MPI GMP (Poland)                                  |
| Esomepeazole Magnesium                       | Capsule   | 20 mg, 40 mg   | EOF GMP (Greece)                                  |
| Esomeprazole Magnesium<br>DR                 | Capsule   | 20 mg  | PIC/S member GMP                                  |
| Esomeprazole Sodium                          | Powder for solution for<br>injection / infusion | 40 mg  | MPI GMP (Poland)                                  |
| Etodolac                                     | Tablet  | 500 mg, 400 mg   | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Ezetimibe                                    | Tablet  | 10 mg  | EOF GMP (Greece)                                  |
| Ezetimibe + Simvastatin                      | Film-coated tablet                              | 10 mg + 10 mg<br>10 mg + 20 mg<br>10 mg + 40 mg<br>10 mg + 80 mg | MPI GMP (Poland)                                  |
| Faropenem Sodium                             | Capsule   | 100 mg, 150 mg   | PIC/S member GMP                                  |
| Faropenem Sodium                             | Tablet  | 0.1 g, 0.15 g  | BMG GMP (Germany)                                 |
| Faropenem Sodium                             | Tablet  | 150 mg   | PIC/S member GMP                                  |
| Fenofibrate                                  | Capsule   | 0.2 g  | BMG GMP (Germany)                                 |
| Fenofibrate IR/SR                            | Capsule   | 100 mg, 145 mg, 200 mg   | EOF GMP (Greece)                                  |
| Fenspiride Hydrochloride                     | Syrup   | 2 mg/ml  | MPI GMP (Poland)                                  |
| Flecainide Acetate SR/IR                     | Capsule   | 50 mg, 100 mg, 150 g   | EOF GMP (Greece)                                  |
| Flucloxacillin                               | Oral suspension                                 | 250 mg, 500 mg   | PIC/S member GMP                                  |
| Flucloxacillin                               | Capsule   | 250 mg, 500 mg   | PIC/S member GMP                                  |
| Fluconazole                                  | Capsule   | 50 mg, 150 mg, 200 mg  | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Fluoxetine                                   | Capsule   | 20 mg  | PIC/S member GMP                                  |
| Fluoxetine                                   | Tablet  | 20 mg  | MHRA GMP (United Kingdom),<br>TGA GMP (Australia) |
| Flurbiprofen SR                              | Tablet USP                                      | 50 mg, 100 mg  | EOF GMP (Greece)                                  |
| Fluvastatin Sodium IR                        | Tablet  | 20 mg, 40 mg, 80 mg  | EOF GMP (Greece)                                  |
| Fluvoxamine Maleate SR                       | Capsule   | 100 mg, 150 mg   | EOF GMP (Greece)                                  |

# FERTIGARZNEIMITTEL

| Product  | Packaging   | Dosage   | Documentation                                  |
|--|---|--|--|
| Formoterol + Budesonide                        | Inhaler   | 200 mcg  | PIC/S member GMP                               |
| Gabapentin                                     | Capsule   | 100 mg, 300 mg, 400 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Gabapentin                                     | Hard capsule  | 100 mg, 300 mg, 400 mg   | MPI GMP (Poland)                               |
| Galantamine Hydrobromide ER                    | Capsule   | 8 mg, 16 mg, 24 mg   | EOF GMP (Greece)                               |
| Gatifloxacin Mesylate                          | Tablet  | 0.1 g<br>0.2 g<br>0.4 g  | BMG GMP (Germany)                              |
| Gliclazide                                     | Tablet  | 80 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Glicazide + Metformin                          | Tablet  | 30 mg, 60 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Gliclazide BP                                  | Blister 10 x 10                                       | 30 mg  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Gliclazide BP + Metformin Hydrochloride BP     | Blister 10 x 10                                       | 80 mg + 500 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Gliclazide BP 60 mg<br>Colour: Lake Tartrazine | Blister 10 x 10                                       | 60 mg  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Glimepiride                                    | Tablet  | 1 mg, 2 mg, 3 mg, 4 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Glimepiride + Metformin ER                     | Tablet  | 1 mg + 500 mg<br>2 mg + 500 mg                                 | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Glipizide BP                                   | Blister 10 x 10                                       | 5 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Glucosamine Sulphate (2KCl)                    | HDPE container 30<br>Blister 3 x 10                   | 750 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Glucosamine Sulphate (2KCl)                    | HDPE container 60<br>Blister 6 x 10<br>Blister 3 x 10 | 500 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Glycopyrrolate                                 | Tablet  | 1 mg, 2 mg   | PIC/S member GMP                               |
| Griseofulvin IP                                | Blister 25 x 10                                       | 250 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Haloperidol                                    | Solution for injection                                | 5 mg/ml  | MPI GMP (Poland)                               |
| Hyaluronic Acid                                | Eye drops: monodose/<br>multidose (Medical device)    | 1 mg/ml (0.1%)<br>Monodose: 12 x 0.5 ml<br>Multidose: 2 x 5 ml | MPI GMP (Poland)                               |
| Hydrochlorothiazide                            | Tablet  | 12.5 mg, 100 mg  | EOF GMP (Greece)                               |
| Hydrochlorothiazide                            | Tablet  | 12.5 mg, 25 mg   | MPI GMP (Poland)                               |
| Hydroxychloroquine Sulphate USP                | Blister 10 x 10                                       | 200 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Hydroxychloroquine Sulphate USP                | Blister 10 x 10                                       | 400 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Hydroxychloroquine Sulphate                    | Tablet  | 200 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Ibuprofen                                      | Capsule   | 200 mg, 400 mg, 600 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Ibuprofen                                      | Oral suspension (Strawberry flavour)                  | 100 mg / 5 ml<br>200 mg / 5 ml                                 | MPI GMP (Poland)                               |
| Ibuprofen                                      | Soft capsule  | 200 mg   | MPI GMP (Poland)                               |



# FERTIGARZNEIMITTEL

| Product                                  | Packaging                               | Dosage                               | Documentation                                  |
|--|---|--------------------------------------|--|
| Ibuprofen                                | Tablet                                  | 200 mg / 100 mg                      | MHRA GMP (United Kingdom)                      |
| Ibuprofen                                | Tablet                                  | 200 mg, 400 mg, 600 mg, 800 mg       | EOF GMP (Greece)                               |
| Ibuprofen SR                             | Capsule                                 | 300 mg                               | EOF GMP (Greece)                               |
| Imatinib                                 | Film-coated tablet                      | 100 mg - 400 mg                      | MPI GMP (Poland)                               |
| Imatinib                                 | Tablet                                  | 400 mg, 100 mg                       | PIC/S member GMP                               |
| Indapamide IR/SR                         | Tablet                                  | 1.25 mg                              | EOF GMP (Greece)                               |
| Indapamide SR                            | Prolonged-release tablet                | 1.5 mg                               | MPI GMP (Poland)                               |
| Irbesartan                               | Film-coated tablet                      | 75 mg, 150 mg, 300 mg                | BMG GMP (Germany)                              |
| Irbesartan                               | Tablet                                  | 150 mg, 300 mg                       | EOF GMP (Greece)                               |
| Isosorbide-5-Mononitrate BP              | Blister 25 x 10<br>HDPE container 1,000 | 20 mg                                | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Itopride SR                              | Capsule                                 | 150 mg                               | EOF GMP (Greece)                               |
| Itraconazole                             | Capsule                                 | 100 mg                               | EOF GMP (Greece)                               |
| Ketotifen                                | Syrup                                   | 1 mg / 5 ml                          | PIC/S member GMP                               |
| Ketotifen                                | Tablet                                  | 1 mg                                 | PIC/S member GMP                               |
| Lactulose (as Lactulose concentrate USP) | 100 ml, 200 ml                          | 10 g                                 | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Lansoprazole EC                          | Capsule                                 | 30 mg                                | EOF GMP (Greece)                               |
| Levetiracetam                            | Concentrate for solution for infusion   | 100 mg/ml                            | MPI GMP (Poland)                               |
| Levetiracetam                            | Film-coated tablet                      | 250 mg - 500 mg<br>750 mg - 1,000 mg | MPI GMP (Poland)                               |
| Levetiracetam                            | Oral solution (Grape flavour)           | 100 mg/ml                            | MPI GMP (Poland)                               |
| Levocarnitine DC                         | Tablet                                  | 330 mg                               | EOF GMP (Greece)                               |
| Levocetirizine                           | Tablet                                  | 5 mg                                 | PIC/S member GMP                               |
| Levocetirizine Dihydrochloride           | Film-coated tablet                      | 5 mg                                 | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Levofloxacin                             | Tablet                                  | 250 mg / 500 mg                      | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Levofloxacin Hemihydrate                 | Film-coated tablet                      | 250 mg - 500 mg                      | MPI GMP (Poland)                               |
| Levofloxacin Hemihydrate                 | Solution for infusion                   | 250 mg / 5 ml - 500 mg / 100 ml      | MPI GMP (Poland)                               |
| Levofloxacin Hydrochloride               | Tablet                                  | 100 mg                               | BMG GMP (Germany)                              |
| Levosulpiride SR                         | Capsule                                 | 75 mg                                | EOF GMP (Greece)                               |
| Levothyroxine DC                         | Tablet                                  | 0.50 mg                              | EOF GMP (Greece)                               |
| Linaclotide IR                           | Capsule                                 | 145 mg / 290 mg                      | EOF GMP (Greece)                               |
| Lincomycin Hydrochloride IP/BP           | Bottle 60 ml                            | 125 g                                | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Linezolid                                | Film-coated tablet                      | 600 mg                               | MPI GMP (Poland)                               |
| Linezolid                                | Solution for infusion                   | 2 mg/ml                              | MPI GMP (Poland)                               |
| Lisinopril                               | Tablet                                  | 2.5 mg, 5 mg, 10 mg, 20 mg           | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Lisinopril + Hydrochlorothiazide         | Tablet                                  | 10 mg + 12.5 mg<br>20 mg + 12.5 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Loperamide                               | Tablet / Capsule                        | 2 mg                                 | EOF GMP (Greece)                               |
| Loratadine                               | Tablet                                  | 10 mg                                | BMG GMP (Germany)                              |
| Lorcaserin Hydrochloride                 | Tablet                                  | 10 mg                                | EOF GMP (Greece)                               |
| Losartan + Hydrochlorothiazide           | Film-coated tablet                      | 25 mg + 12.5 mg<br>50 mg + 12.5 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |

# FERTIGARZNEIMITTEL

| Product                                  | Packaging   | Dosage   | Documentation                                  |
|--|---|--|--|
| Losartan + Hydrochlorothiazide           | Tablet  | 50 mg + 12.5 mg  | PIC/S member GMP                               |
| Losartan Potassium                       | Film-coated tablet                                      | 50 mg - 100 mg   | MPI GMP (Poland)                               |
| Losartan Potassium                       | Tablet  | 25 mg, 50 mg, 100 mg                                   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Losartan Potassium + Hydrochlorothiazide | Film-coated tablet                                      | 50 mg + 12,5 mg<br>100 mg + 25 mg                      | MPI GMP (Poland)                               |
| Losartan Potassium + Hydrochlorothiazide | Tablet  | 25 mg + 12.5 mg<br>50 mg + 12.5 mg<br>100 mg + 12.5 mg | EOF GMP (Greece)                               |
| Lovastatin                               | Capsule   | 20 mg  | BMG GMP (Germany)                              |
| Loxoprofen SR                            | Tablet  | 60 mg  | EOF GMP (Greece)                               |
| Mebeverine Hydrochloride SR              | Capsule   | 100 mg / 200 mg  | EOF GMP (Greece)                               |
| Meloxicam                                | Solution for injection                                  | 15 mg / 1.5 ml   | MPI GMP (Poland)                               |
| Memantine Hydrochloride                  | Film-coated tablet                                      | 10 mg - 20 mg  | MPI GMP (Poland)                               |
| Memantine Hydrochloride                  | Film-coated tablet                                      | 10 mg, 20mg  | BMG GMP (Germany)                              |
| Memantine Hydrochloride                  | Oral drops  | 10 mg/g  | MPI GMP (Poland)                               |
| Memantine Hydrochloride                  | Tablet in initiation Pack                               | 5 mg / 10 mg / 15 mg / 20 mg                           | BMG GMP (Germany)                              |
| Meropenem                                | Injection   | 0.25 g, 0.5 g, 1.0 g                                   | PIC/S member GMP                               |
| Meropenem                                | Injection   | 500 mg, 1,000 mg                                       | PIC/S member GMP                               |
| Mesalamine SR                            | Capsule   | 250 mg, 500 mg   | EOF GMP (Greece)                               |
| Mesalamine USP                           | Blister 25 x 10   | 400 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Mesalamine USP                           | Blister 25 x 10   | 800 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Metamizole Sodium                        | Gel capsule   | 250 mg   | MPI GMP (Poland)                               |
| Metformin                                | Tablet  | 1 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Metformin                                | Tablet  | 500 mg, 850 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Metformin BP                             | Tablet  | 500 mg, 850 mg   | PIC/S member GMP                               |
| Metformin Hydrochloride IP               | Blister 10 x 10   | 1,000 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Metformin Hydrochloride IP               | Blister 10 x 10   | 500 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Metformin Hydrochloride IP               | Blister 10 x 10   | 850 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Metformin IR/ST                          | Tablet  | 500 mg, 850 mg, 1,000 mg                               | EOF GMP (Greece)                               |
| Metoclopramide                           | Tablet  | 5 mg, 9 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Metoclopramide Hydrochloride IP          | Ampoule 10 x 2 ml                                       | 5 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Metoclopramide Hydrochloride IP          | Blister 25 x 10<br>HDPE container 200, 500<br>and 1,000 | 10 mg  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Metoclopramide Hydrochloride IP          | Bottle 30 ml  | 5 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Metoclopramide Hydrochloride IP          | Vial 10 x 10 ml   | 5 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |

# FERTIGARZNEIMITTEL

| Product  | Packaging                        | Dosage  | Documentation                                  |
|--|----------------------------------|---|--|
| Metoprolol Succinate   | Prolonged-release tablet         | 23.75 mg, 47,5 mg, 95 mg, 190 mg  | MPI GMP (Poland)                               |
| Metoprolol Succinate ER + Telmisartan                        | Capsule                          | 25 mg + 20 mg<br>25 mg + 40 mg<br>50 mg + 40 mg<br>100 mg + 50 mg<br>100 mg + 80 mg | EOF GMP (Greece)                               |
| Metoprolol Succinate SR                                      | Capsule / Tablet                 | 25 mg, 50 mg, 100 mg, 200 mg  | EOF GMP (Greece)                               |
| Metoprolol Succinate XL                                      | Tablet                           | 25 mg, 50 mg, 100 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Metronidazole  | Tablet                           | 200 mg, 400 mg, 500 mg  | PIC/S member GMP                               |
| Minocycline Hydrochloride SR                                 | Pellet                           | 100 mg  | EOF GMP (Greece)                               |
| Montelukast + Levocetirizine Dihydrochloride + Desloratadine |                                  | 10 mg + 5 mg  | EOF GMP (Greece)                               |
| Montelukast Sodium   | Chewable tablet (Cherry flavour) | 4 mg, 5 mg  | MPI GMP (Poland)                               |
| Montelukast Sodium   | Film-coated tablet               | 10 mg, 20 mg, 40 mg   | MPI GMP (Poland)                               |
| Montelukast Sodium   | Sachet                           | 4 mg  | MPI GMP (Poland)                               |
| Montelukast Sodium   | Tablet                           | 4 mg, 5 mg, 10 mg   | PIC/S member GMP                               |
| Mosapride SR   | Capsule                          | 5 mg  | EOF GMP (Greece)                               |
| Moxifloxacin DC  | Tablet                           | 400 mg  | EOF GMP (Greece)                               |
| Mycophenolate Acid DR  | Capsule                          |   | EOF GMP (Greece)                               |
| Mycophenolate Mofetil IR                                     | Capsule                          |   | EOF GMP (Greece)                               |
| Naproxen   | Capsule                          | 0.2 g   | BMG GMP (Germany)                              |
| Naproxen Sodium + Sumatriptan                                | Tablet                           | 500 mg + 85 mg  | EOF GMP (Greece)                               |
| Nimodipine   | Tablet                           | 20 mg / 30 mg   | MHRA GMP (United Kingdom)                      |
| Nitrofurantoin Hydrochloride SR                              | Capsule                          | 100 mg  | EOF GMP (Greece)                               |
| Noradrenaline Bitartrate                                     | Solution for injection           | 1 mg/ml   | MPI GMP (Poland)                               |
| Norfloxacin  | Capsule                          | 0.1 g   | BMG GMP (Germany)                              |
| Norfloxacin  | Drops                            | 0.3% w/v  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Norfloxacin  | Tablet                           | 400 mg  | PIC/S member GMP                               |
| Nortriptyline Hydrochloride IP                               | Strip 10                         | 25 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Olanzapine   | Film-coated tablet               | 5 mg, 10 mg, 15 mg, 20 mg   | MPI GMP (Poland)                               |
| Olanzapine   | Tablet                           | 2.5 mg, 5 mg, 7.5 mg, 10 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Olanzapine ODT   | ODT (Spearmint flavour)          | 5 mg, 10 mg, 15 mg, 20 mg   | MPI GMP (Poland)                               |
| Olmesartan Medoxomil   |                                  | 10 mg, 20 mg, 40 mg (ICW HCTZ 12.5 mg)  | EOF GMP (Greece)                               |
| Olmesartan Medoxomil   | Film-coated tablet               | 10 mg, 20 mg, 40 mg   | MPI GMP (Poland)                               |
| Olmesartan Medoxomil + Hydrochlorothiazide                   | Film-coated tablet               | 20 mg + 12.5 mg<br>20 mg + 25 mg<br>40 mg + 12.5 mg<br>40 mg + 25 mg                | MPI GMP (Poland)                               |

# FERTIGARZNEIMITTEL

| Product  | Packaging                                  | Dosage                            | Documentation                                  |
|--|--|-----------------------------------|--|
| Olopatadine Hydrochloride                                    | Eye drops solution                         | 1 mg/ml (0.10%)                   | MPI GMP (Poland)                               |
| Omeprazole   | Capsule                                    | 20 mg                             | PIC/S member GMP                               |
| Omeprazole   | Micropellet capsule                        | 20 mg                             | BMG GMP (Germany)                              |
| Omeprazole EC  | Capsule                                    | 20 mg, 40 mg                      | EOF GMP (Greece)                               |
| Omeprazole Sodium  | Powder for solution for infusion           | 40 mg                             | MPI GMP (Poland)                               |
| Ondansetron  | Tablet                                     | 4 mg, 8 mg                        | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Ondansetron Hydrochloride Dihydrate                          | Solution for injection                     | 4 mg / 2 ml - 8 mg / 4 ml         | MPI GMP (Poland)                               |
| Ondansetron Hydrochloride USP                                | 30 ml                                      | 2 mg                              | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Ondansetron Hydrochloride USP                                | Blister 10 x 10                            | 4 mg                              | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Ondansetron ODT  | Orodispersible tablet (Strawberry flavour) | 4 mg - 8 mg                       | MPI GMP (Poland)                               |
| Opipramol Dihydrochloride                                    | Film-coated tablet                         | 50 mg                             | MPI GMP (Poland)                               |
| Orlistat   | Capsule                                    | 60 mg, 120 mg                     | EOF GMP (Greece)                               |
| Orlistat   | Hard capsule                               | 60 mg, 120 mg                     | MPI GMP (Poland)                               |
| Oxymetazoline Hydrochloride                                  | Nasal spray solution                       | 0.25 mg/ml - 0.5 mg/ml            | MPI GMP (Poland)                               |
| Pancreatin Delayed Release                                   | Capsule                                    |                                   | EOF GMP (Greece)                               |
| Pantoprazole   | Tablet delayed release                     | 20 mg, 40 mg                      | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Pantoprazole   | Tablet enteric-coated                      | 20 mg, 40 mg                      | BMG GMP (Germany)                              |
| Pantoprazole EC + Domperidone SR                             | Capsule                                    | 20 mg + 30 mg                     | EOF GMP (Greece)                               |
| Pantoprazole Sodium  | Capsule                                    | 20 mg, 40 mg + Itopride SR 160 mg | EOF GMP (Greece)                               |
| Pantoprazole Sodium Sesquihydrate                            | Powder for solution for injection          | 40 mg                             | MPI GMP (Poland)                               |
| Pantoprazole Sodium Sesquihydrate Equivalent to Pantoprazole | Strip 10 x 10                              | 40 mg                             | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Paracetamol  | Oral suspension                            | 120 mg / 5 ml                     | PIC/S member GMP                               |
| Paracetamol  | Tablet                                     | 500 mg                            | PIC/S member GMP                               |
| Paracetamol  | Tablet                                     | 500 mg ODT                        | EOF GMP (Greece)                               |
| Paracetamol + Caffeine                                       | Tablet                                     | 500 mg + 65 mg                    | EOF GMP (Greece)                               |
| Paracetamol + Chlorpheniramine + Phenylephrine               | Sachet                                     | 500 mg / 4 mg / 10 mg             | BMG GMP (Germany)                              |
| Paracetamol + Ibuprofen                                      | Film-coated tablet                         | 325 mg + 200 mg                   | MPI GMP (Poland)                               |
| Paracetamol + Tramadol                                       | Tablet                                     | 325 mg + 37.5 mg                  | EOF GMP (Greece)                               |
| Paracetamol IP   | 5 x 2 x 10                                 | 1,000 mg                          | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Paracetamol IP   | 5 x 2 x 10                                 | 650 mg                            | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Paroxetine   | Tablet                                     | 10 mg, 20 mg, 30 mg, 40 mg        | MHRA GMP (United Kingdom), TGA GMP (Australia) |

# FERTIGARZNEIMITTEL

| Product  | Packaging   | Dosage  | Documentation                                  |
|--|---|---|--|
| Paroxetine   | Tablet  | 12.5 mg, 25 mg, 37.5 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Perindopril  | Tablet  | 2 mg, 4 mg, 8 mg  | EOF GMP (Greece)                               |
| Perindopril + Amlodipine                           | Tablet  | 4 mg + 10 mg<br>4 mg + 5 mg<br>8 mg + 10 mg<br>8 mg + 5 mg        | EOF GMP (Greece)                               |
| Perindopril tert-Butylamine                        | Tablet  | 4 mg, 8 mg  | MPI GMP (Poland)                               |
| Phenoxymethylpenicillin                            | Oral suspension   | 125 mg / 5 ml   | PIC/S member GMP                               |
| Phenoxymethylpenicillin                            | Tablet  | 250 mg  | PIC/S member GMP                               |
| Phenoxymethylpenicillin                            | Tablet  | 500 mg  | PIC/S member GMP                               |
| Phenylephrine Hydrochloride SR                     | Capsule   | 5 mg, 10 mg, 20 mg  | EOF GMP (Greece)                               |
| Phytomenadione (Vit. K) + Cholecalciferol (Vit. D) | Twist-off capsule (Dietary food for special medical purposes) | 25 ug + 400 IU  | MPI GMP (Poland)                               |
| Pidogul  | Tablet  | Clopidogrel Napadisilate<br>75 mg                                 | PIC/S member GMP                               |
| Pinaverium Bromide IR                              | Tablet  | 50 mg, 100 mg   | EOF GMP (Greece)                               |
| Pioglitazone                                       | Tablet  | 15 mg, 30 mg  | PIC/S member GMP                               |
| Pipemidic Acid                                     | Tablet  | 250 mg / 500 mg   | MHRA GMP (United Kingdom)                      |
| Piracetam  | Film-coated tablet  | 800 mg - 1,200 mg   | MPI GMP (Poland)                               |
| Pregabalin   | Capsule   | 25 mg, 50 mg, 75 mg,<br>100 mg, 150 mg, 200 mg,<br>225 mg, 300 mg | MPI GMP (Poland)                               |
| Pregabalin   | Capsule   | 75 mg, 150 mg, 300 mg   | PIC/S member GMP                               |
| Pregabalin IR                                      | Capsule   | 50 mg, 75 mg, 100 mg,<br>150 mg, 200 mg, 300 mg                   | EOF GMP (Greece)                               |
| Prochlorperazine Maleate                           | Tablet  | 5 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Propofol   | Emulsion for injection or infusion                            | 10 mg/ml  | MPI GMP (Poland)                               |
| Quetiapine Fumarate                                | Film-coated tablet  | 25 mg, 100 mg, 150 mg,<br>200 mg, 300 mg                          | MPI GMP (Poland)                               |
| Quetiapine SR                                      | Tablet  | 50 mg, 150 mg, 200 mg,<br>300 mg, 400 mg                          | EOF GMP (Greece)                               |
| Quinine  | Injection   | 30 mg/ml  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Rabeprazole  | Tablet  | 10 mg, 20 mg  | PIC/S member GMP                               |
| Rabeprazole Sodium EC                              | Capsule   | 10 mg, 20 mg  | EOF GMP (Greece)                               |
| Rabeprazole Sodium EC + Domperidon                 | Capsule   | 20 mg, 30 mg  | EOF GMP (Greece)                               |
| Rabeprazole Sodium Enteric-coated                  | Tablet  | 10 mg   | MHRA GMP (United Kingdom)                      |
| Ramipril   | Capsule   | 1.25 mg, 2.5 mg, 5 mg, 10 mg                                      | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Ranitidine   | Tablet  | 75 mg, 150 mg, 300 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Ranitidine Hydrochloride                           | Soft capsule  | 150 mg  | MPI GMP (Poland)                               |
| Rasagiline   | Tablet  | 1 mg  | MPI GMP (Poland)                               |

# FERTIGARZNEIMITTEL

| Product                                  | Packaging                                       | Dosage                           | Documentation                                  |
|--|---|----------------------------------|--|
| Risperidone                              | Tablet  | 1 mg, 2 mg, 3 mg, 4 mg           | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Rosiglitazone Tartrate Dispersible       | Tablet  | 4 mg                             | BMG GMP (Germany)                              |
| Rosuvastatin                             | Tablet  | 5 mg, 10 mg, 20 mg, 40 mg        | PIC/S member GMP                               |
| Rosuvastatin Calcium                     | Film-coated tablet                              | 5 mg, 10 mg, 20 mg, 40 mg        | MPI GMP (Poland)                               |
| Rosuvastatin Calcium                     | Tablet  | 5 mg, 10 mg                      | BMG GMP (Germany)                              |
| Rosuvastatin DC                          | Tablet  | 5 mg, 10 mg, 20 mg, 40 mg        | EOF GMP (Greece)                               |
| Roxithromycin                            | Capsule   | 50 mg<br>75 mg<br>0.15 g         | BMG GMP (Germany)                              |
| Roxithromycin                            | Tablet  | 150 mg, 300 mg                   | PIC/S member GMP                               |
| Salbutamol                               | Inhaler   | 100 mcg                          | PIC/S member GMP                               |
| Salbutamol                               | Tablet BP                                       | 4 mg                             | PIC/S member GMP                               |
| Salbutamol + Budesonide                  | Inhaler   | 100 mcg                          | PIC/S member GMP                               |
| Sertraline                               | Tablet  | 50 mg, 100 mg                    | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Sertraline Hydrochloride                 | Tablet  | 50 mg                            | BMG GMP (Germany)                              |
| Sertraline Hydrochloride Dispersible     | Tablet  | 50 mg                            | BMG GMP (Germany)                              |
| Sildenafil Citrate + Dapoxetine          | Tablet  | 50/10 mg + 60 mg                 | EOF GMP (Greece)                               |
| Sildenafil Citrate                       | Film-coated tablet                              | 20 mg                            | MPI GMP (Poland)                               |
| Sildenafil Citrate                       | Film-coated tablet                              | 25 mg, 50 mg, 100 mg             | BMG GMP (Germany)                              |
| Sildenafil Citrate                       | Film-coated tablet                              | 25 mg, 50 mg, 100 mg             | MPI GMP (Poland)                               |
| Sildenafil Citrate                       | Tablet  | 25 mg, 50 mg, 100 mg             | PIC/S member GMP                               |
| Sildenafil Citrate (Chewable/Normal/ODT) | Tablet  | 50 mg, 100 mg                    | EOF GMP (Greece)                               |
| Simethicone                              | Oral drops (Medical device) (Raspberry flavour) | 135 mg/ml                        | MPI GMP (Poland)                               |
| Simethicone                              | Twist-off capsule (Medical device)              | 20 mg                            | MPI GMP (Poland)                               |
| Simethicone USP                          | Bottle 10 ml (with dropper)                     | 40 mg                            | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Simethicone USP                          | Strip 10 x 10                                   | 40 mg                            | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Simvastatin                              | Film-coated tablet                              | 10 mg, 20 mg, 40 mg, 80 mg       | MPI GMP (Poland)                               |
| Simvastatin                              | Tablet  | 10 mg, 20 mg, 40 mg              | BMG GMP (Germany)                              |
| Simvastatin + Ezetimibe                  | Tablet  | 10 mg, 10/10 mg, 20/10 mg, 40 mg | EOF GMP (Greece)                               |
| Sitagliptin                              | Tablet  | 25 mg, 50 mg, 100 mg             | PIC/S member GMP                               |
| Strontium Ranelate                       | Granules for suspension                         | 2 g                              | BMG GMP (Germany)                              |
| Sulfamethoxazole + Trimethoprim          | Oral suspension                                 | 200 mg + 40 mg / 5 ml            | PIC/S member GMP                               |
| Sulfamethoxazole + Trimethoprim          | Tablet  | 400 mg + 80 mg                   | PIC/S member GMP                               |
| Sulfamethoxazole + Trimethoprim          | Tablet  | 800 mg + 160 mg                  | PIC/S member GMP                               |
| Sulfamonomethoxine                       | Tablet  | 0.5 g                            | MHRA GMP (United Kingdom)                      |



# FERTIGARZNEIMITTEL

| Product  | Packaging                             | Dosage  | Documentation                                  |
|--|---------------------------------------|---|--|
| Sulfasalazine USP                                    | Blister 10 x 10<br>HDPE container 500 | 500 mg  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Sulfasalazine USP                                    | Blister 5 x 2 x 10                    | 1,000 mg  | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Sumatriptan  | Tablet                                | 50 mg, 100 mg   | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Sumatriptan Succinate                                | Film-coated tablet                    | 50 mg - 100 mg  | MPI GMP (Poland)                               |
| Tadalafil  | Tablet                                | 10 mg, 20 mg  | EOF GMP (Greece)                               |
| Tadalafil + Dapoxetine                               | Tablet                                | 10/20 mg + 60 mg  | EOF GMP (Greece)                               |
| Tamsulosin Hydrochloride SR                          | Capsule                               | 0.4 mg / 0.2 mg   | EOF GMP (Greece)                               |
| Tamsulosin SR + Dutasteride IR                       | Capsule                               | 0.4 mg / 0.5 mg   | EOF GMP (Greece)                               |
| Telmisartan  | Tablet                                | 10 mg, 20 mg, 40 mg, 80 mg  | EOF GMP (Greece)                               |
| Thiocolchicoside IR/SR                               | Capsule                               | 8 mg, 16 mg   | EOF GMP (Greece)                               |
| Tianeptine Sodium                                    | Film-coated tablet                    | 12.5 mg   | MPI GMP (Poland)                               |
| Tinidazole   | Tablet                                | 300 mg, 500 mg, 1,000 mg  | PIC/S member GMP                               |
| Tobramycin   | Eye drops solution                    | 3 mg/ml (0.3%)  | MPI GMP (Poland)                               |
| Tocopherol (Vit. E)                                  | Capsule                               | 400 mg  | MPI GMP (Poland)                               |
| Tolterodine Tartrate SR                              | Capsule                               | 2 mg, 4 mg  | EOF GMP (Greece)                               |
| Tramadol   | Injection                             | 100 mg / 2 ml   | PIC/S member GMP                               |
| Tramadol Hydrochloride                               | Capsule                               | 50 mg   | PIC/S member GMP                               |
| Tramadol Hydrochloride + Paracetamol                 | Film-coated tablet                    | 37,5 mg + 325 mg  | MPI GMP (Poland)                               |
| Tramadol Hydrochloride SR                            | Tablet                                | 100 mg  | PIC/S member GMP                               |
| Tramadol IR/SR                                       | Capsule                               | 100 mg, 200 mg  | EOF GMP (Greece)                               |
| Tramadol SR  | Capsule                               | 100 mg, 150 mg, 200 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Tranexamic Acid BP 500 mg + Mefenamic Acid IP 250 mg | 5 x 6                                 | 500 mg + 250 mg   | MFDS GMP (Korea), WHO GMP, Ivory Coast MoH     |
| Travoprost   | Eye drops solution                    | 40 pg/ml (0.004%)   | MPI GMP (Poland)                               |
| Trimebutine Maleate                                  | Tablet                                | 100 mg, 200 mg, 300 mg  | EOF GMP (Greece)                               |
| Trimetazidine  | Tablet                                | 20 mg   | PIC/S member GMP                               |
| Tropium Chloride SR                                  | Capsule                               | 60 mg   | EOF GMP (Greece)                               |
| Valsartan  | Film-coated tablet                    | 80 mg - 100 mg  | MPI GMP (Poland)                               |
| Valsartan  | Tablet                                | 40 mg, 80 mg, 160 mg, 320 mg  | PIC/S member GMP                               |
| Valsartan + Hydrochlorothiazide                      | Film-coated tablet                    | 80 mg + 12.5 mg<br>160 mg + 12.5 mg<br>160 mg + 25 mg                     | MPI GMP (Poland)                               |
| Valsartan + Hydrochlorothiazide                      | Tablet                                | 80 mg + 12.5 mg<br>160 mg + 12.5 mg<br>320 mg + 12.5 mg<br>320 mg + 25 mg | EOF GMP (Greece)                               |
| Valsartan DC   | Tablet                                | 80 mg, 160 mg, 320 mg   | EOF GMP (Greece)                               |
| Vardenafil Hydrochloride                             | Film-coated tablet                    | 5 mg, 10 mg, 20 mg  | MPI GMP (Poland)                               |
| Venlafaxine  | Tablet                                | 34.5 mg, 75 mg, 150 mg  | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Venlafaxine Hydrochloride ER                         | Tablet                                | 37.5 mg, 75 mg, 150 mg  | EOF GMP (Greece)                               |

# FERTIGARZNEIMITTEL

| Product                      | Packaging  | Dosage                 | Documentation                                  |
|------------------------------|--|------------------------|--|
| Venlafaxine Hydrochloride SR | Capsule prolonged release                                    | 37.5 mg, 75 mg, 150 mg | MPI GMP (Poland)                               |
| Voriconazole                 | Film-coated tablet   | 50 mg - 200 mg         | MPI GMP (Poland)                               |
| Voriconazole                 | Powder for solution for infusion                             | 200 mg                 | MPI GMP (Poland)                               |
| Warfarin                     | Tablet   | 1 mg, 3 mg, 5 mg       | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Xylometazoline Hydrochloride | Nasal spray solution   | 1 mg/ml, 0.5 mg/ml     | MPI GMP (Poland)                               |
| Zoledronic Acid              | Concentrate for solution for infusion                        | 4 mg / 5 ml            | MPI GMP (Poland)                               |
| Zoledronic Acid              | Powder and solvent for concentrate for solution for infusion | 4 mg / 5 ml            | MPI GMP (Poland)                               |
| Zolpidem                     | Tablet   | 5 mg, 10 mg            | MHRA GMP (United Kingdom), TGA GMP (Australia) |
| Zopiclone                    | Tablet   | 3.75 mg, 7.5 mg        | MHRA GMP (United Kingdom), TGA GMP (Australia) |